

<p>Original SCHNORR® Safety Washers Type <<S>> from C60S (Mat.No. 1.1211)</p>	
---	---

Art nr.	< S > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
402 300	1.6		1.7	3.2	0.35	Blackened
450 000						Gal.Zn8+Passivation
404 400	2		2.2	4	0.35	Blackened
450 100						Gal.Zn8+Passivation
406 800	2.5		2.7	4.8	0.45	Blackened
450 200						Gal.Zn8+Passivation
409 400	3	1/8"	3.2	5.5	0.45	Blackened
450 300						Gal.Zn8+Passivation
411 200	3.5		3.7	6	0.5	Blackened
450 400						Gal.Zn8+Passivation
412 700	4	5/32"	4.3	7	0.5	Blackened
450 500						Zn8M +Passivation
414 500	5	3/16"	5.3	9	0.6	Blackened
450 600						Zn8M +Passivation
460 050						Zn-Flake 720h
416 300	6		6.4	10	0.6	Blackened
450 700						Zn8M +Passivation

Art nr.	< S > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
460 060						Zn-Flake 720h
418 100	6.35	1/4"	6.7	9.5	0.6	Blackened
450 800						Zn8M +Passivation
460 635						Zn-Flake 720h
419 200	7		7.4	12	0.7	Blackened
450 900						Zn8M +Passivation
460 070						Zn-Flake 720h
420 400	8	5/16"	8.4	13	0.7	Blackened
451 000						Zn8M +Passivation
460 080						Zn-Flake 720h
423 000	10	3/8"	10.5	16	0.9	Blackened
451 100						Zn8M +Passivation
460 100						Zn-Flake 720h
425 100	11.1	7/16"	11.6	15.9	0.9	Blackened
451 200						Zn8M +Passivation
460 110						Zn-Flake 720h
426 200	12		13	18	1.0	Blackened
451 300						Zn8M +Passivation
460 120						Zn-Flake 720h
427 900	12.7	1/2"	13.7	19	1.0	Blackened

Art nr.	< S > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
451 400						Zn8M +Passivation
460 127						Zn-Flake 720h
429 100	14		15	22	1.1	Blackened
451 500						Zn8M +Passivation
460 140						Zn-Flake 720h
430 700	16	5/8"	17	24	1.2	Blackened
451 600						Zn8M +Passivation
460 160						Zn-Flake 720h
432 400	18		19	27	1.4	Blackened
451 700						Zn8M +Passivation
460 180						Zn-Flake 720h
433 800	19	3/4"	20	30	1.4	Blackened
451 800						Zn8M +Passivation
460 190						Zn-Flake 720h
435 100	20		21	30	1.4	Blackened
451 900						Zn8M +Passivation
460 200						
436 600	22	7/8"	23	33	1.4	Blackened
452 000						Zn8M +Passivation
460 220						Zn-Flake 720h

Art nr.	< S > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
437 900	24		25.6	36	1.6	Blackened
452 100						<i>Zn8M +Passivation</i>
460 240						Zn-Flake 720h
439 200	25.4	1"	27	38	1.8	Blackened
452 200						<i>Zn8M +Passivation</i>
460 254						Zn-Flake 720h
440 300	27		28.6	39	1.8	Blackened
452 300						<i>Zn8M +Passivation</i>
460 270						Zn-Flake 720h
441 500	30	1 1/8"	31.6	45	1.8	Blackened
452 400						<i>Zn8M +Passivation</i>
460 300						Zn-Flake 720h
401 292	33		34.6	50	2.5	Blackened
401 144						<i>Zn8M +Passivation</i>
460 330						Zn-Flake 720h
442 730	36	1 3/8"	38	54	2.5	Blackened
452 500						<i>Zn8M +Passivation</i>
460 360						Zn-Flake 720h

Original SCHNORR® Safety-Washers Type <<VS>> from C60S (Mat.No. 1.1211)	SCHNORR® DISC SPRING ENGINEERING
--	--

Art nr.	< VS > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
414 600	5	3/16"	5.3	9	0.9	blackened
450 650						Zn8M + Passivation
461 050						Zn-Flake 720h
416 400	6		6.4	10	0.9	blackened
450 750						Zn8M + Passivation
461 060						
420 500	8	5/16"	8.4	13	1.1	blackened
451 050						Zn8M + Passivation
461 080						Zn-Flake 720h
423 100	10	3/8"	10.5	16	1.4	blackened
451 150						Zn8M + Passivation
461 100						
426 300	12		13	18	1.4	blackened
451 350						Zn8M + Passivation
461 120						Zn-Flake 720h
429 200	14		15	22	1.4	blackened
451 550						Zn8M + Passivation
461 140						Zn-Flake 720h

Art nr.	< VS > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
430 800	16	5/8"	17	24	1.9	blackened
451 650						Zn8M + Passivation
461 160						
432 500	18		19	27	1.9	blackened
451 750						Zn8M + Passivation
461 180						Zn-Flake 720h
435 300	20		21	30	1.9	blackened
451 950						Zn8M + Passivation
461 200						
436 700	22	7/8"	23	33	1.9	blackened
452 050						Zn8M + Passivation
461 220						Zn-Flake 720h
438 000	24		25.6	36	2.4	blackened
452 150						Zn8M + Passivation
461 240						Zn-Flake 720h
400 974	25.4	1"	27	38	2.4	blackened
401 260						Zn8M + Passivation
461 254						Zn-Flake 720h
440 400	27		28.6	39	2.4	blackened
452 350						Zn8M + Passivation

Art nr.	< VS > Ref. size		D1 (mm)	D2 (mm)	S (mm)	Surface
	mm	inch				
461 300						Zn-Flake 720h
441 600	30	1 1/8"	31.6	45	2.4	blackened
452 450						<i>Zn8M + Passivation</i>
461 300						Zn-Flake 720h
401 303	33		34.6	50	3	blackened
401 068						<i>Zn8M + Passivation</i>
461 330						Zn-Flake 720h
442 801	36	1 3/8 "	38	54	3.0	blackened
401 051						<i>Zn8M + Passivation</i>
461 360						Zn-Flake 720h